

Flounder

This tool is especially suited to clean flat pipes and channels. The flat design combined with the rounded corners and edges provides the tool with ideal gliding properties.


Ceramic inserts with flow straighteners and an optimized flow reversal create compact and aggressive water jets.

The low and compact design facilitates access to a wide variety of pipes and channels.

Applications


- Appropriate for removing mud and loose rubble in flat pipes and channels, e.g. run-off gutters

Working pressure up to 250 bar




Flounder


Flounder 1/2" - 5/4"



70.050




1/2
150 - 250
60
S1: 2 × M8
S2: 2 × M8
S1: 15°
S2: 7.5°
175 × 90 × 40
2.70
X



70.075


3/4
200 - 400
100
S1: 2 × M8
S2: 4 × M8
S1: 10°
S2: 0°
160 × 105 × 55
3.40
X



70.100











1
300 - 600
200
S1: 2 × M10
S2: 2 × M10
S3: 4 × M10
S1: 15°
S2: 7.5°
S3: 0°
300 × 160 × 60
12.30
X



70.125

1 1/4
400 - 800
250
S1: 2 × M10
S2: 4 × M10
S3: 4 × M10
S1: 15°
S2: 7.5°
S3: 0°
310 × 180 × 85
21.00
X

High Performance Tool  **golden jet®**

	Connecting thread ["]		Thrust jet		Weight [kg]
	Application range [mm]		Jet angle backward		Recycling
	min. l/min at 100 bar		Length × Width × Height [mm]		