



AquaTeq™

NEW!



BL Swiper™ is a sewer nozzle developed for cleaning sewers and storm water pipes.

BL SWIPER™

DESCRIPTION OF TECHNOLOGY AND USER INSTRUCTIONS

BL SWIPER™ is a new patented sewer nozzle developed for cleaning sewers and storm water pipes in a cost-effective and resource saving manner (both money and environment).

The construction of the BL Swiper™ is made to optimize the cleaning effect by using both the water flow from the high pressure pump, together with the jet streams. The water flow, through the pressure in the jets, creates a jet stream and the jet streams create thrust through a number of channels. The number

of channels is equal to the number of water jets i.e. a nozzle supplied with 4 water jets are supplied with 4 channels. The channels are placed in the center of the nozzle meaning that the total force generated by the nozzle, both air and water force, are used to clean the pipe cost-effective.

Tests performed with the BL SWIPER™ has been determined that the flow rate can almost be cut in half, compared with normal flow needs. The pressure has a direct impact on the cleaning ability of the BL SWIPER™. By increasing the water pressure, the thrust power will also accelerate, decreasing the total cleaning time.

AquaTeq Sweden AB ADDRESS Kalmar Tech Park, SE-393 56 KALMAR

PHONE +46 (0)480 270 10 FAX +46 (0)480 125 80

EMAIL info@aquateq.com HOMEPAGE www.aquateq.com




Performed tests

BL SWIPER™ when used together with a high pressure jetting unit with a pump capacity of 100 GPM at a pressure of 1600 PSI.

When cleaning a 9" pipe (225 mm) approx. 350 feet long, using the BL SWIPER™ with four water jets, sized 2.7 mm (approx. 35 GPM) the unit was running only at idle speed creating 1250 PSI.

When cleaning a 64" (1600 mm) pipe, same sewer jetting unit was used, but with the larger BL SWIPER™ supplied with 6 water jets, each jet 3.0 mm. When cleaning the pipe the flow in the nozzle was approx. 65 GPM and the pressure at the truck 1600 PSI.



Specification BL Swiper™

Hose size	½" up to 1"
Water flow	70 -400 l/min (20-105 US GPM)
Pipe dimension	150 mm and up
No. of jets	4 jets
Jet size	1,9 mm up to 4,5 mm
Weight	1,5 kg
Length	150 mm
Diameter	110 mm



Specification BL Swiper™

Hose size	¾" up to 1 ¼"
Water flow	150 -1 000 l/min (40-265 US GPM)
Pipe dimension	400 mm and up
No. of jets	6 jets
Jet size	1,9 mm up to 6,0 mm
Weight	6,0 kg
Length	400 mm
Diameter	230 mm